



Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Not classified as hazardous according to criteria of Australian Safety and Compensation Council

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 10 L 9560 PRINTLAC HIGH GLOSS
- MSDS no. 28.850
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Printing inks
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hubergroup Australia Pty. Ltd. Unit 8, 450 Princes Highway Noble Park VIC 3174

Telephone: +61 (03) 9549 9300 Facsimile: +61 (03) 9701 0066

Contact Point:

Company Contact - Product Technical Manager Business Hours - +61 (03) 9549 9300 After Hours - 0488 020 164

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Additional information:

Contains Cobalt(II) 2-ethylhexanoate. May produce an allergic reaction. Safety data sheet available on request.

- 2.3 Other hazards This information is provided by the present Material Safety Data Sheet.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Preparation from organic and inorganic pigments and/or carbon black (not valid for unpigmented systems like printing varnishes), resins, vegetable oils, mineral oils and additives.

Dangerous components:

CAS: 64741-91-9 Distillates (petroleum), solvent-refined middle; 30 - 50%

EINECS: 265-093-4

Asp. Tox. 1, H304

· Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)





Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information In all cases of doubt, or when symptoms persist, seek medical advice.
- · After inhalation Remove to fresh air.
- · After skin contact

Remove contaminated clothing immediately. Wash skin thorougly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

· After eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses. Obtain medical attention.

- After swallowing Do NOT induce vomiting. Obtain medical attention.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Alcohol resistant foam, CO2, powders, water spray.
- · For safety reasons unsuitable extinguishing agents Water jet.
- · 5.2 Special hazards arising from the substance or mixture

Appropriate breathing apparatus may be required.

Cool closed containers exposed to fire with water.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect run-off from fire fighting.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ventilate the area.
- 6.2 Environmental precautions:

If the product contaminates rivers and lakes or sewages inform respective authorities.

Do not allow to enter drains. If the product contaminates rivers and lakes or sewers inform respective authorities.

6.3 Methods and material for containment and cleaning up:

Clean preferably with a

detergent. Avoid use of solvents.

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations. Clean preferably with a detergent. Avoid use of solvents.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection

equipment. See Section 13 for information on disposal.

(Contd. on page 3)





Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour. Smoking, eating and drinking should be prohibited in application area. For personal protection see Section 8. Comply with health and safety at work laws. Avoid concentrations higher than the occupational exposure limits (see Section 8), if applicable.

Information about protection against explosions and fires:

Clothes and rags contaminated with ink, lacquer or oxidatively drying oil may cause self ignition. Keep them in closed and fireproof containers.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Keep container tightly closed. No smoking.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information about storage conditions:

Store in accordance with the particular national regulations concerning water pollution.

Always keep in containers of the same material as the original one. Store in a dry, well ventilated place. Keep away from heat and direct sunlight. Store in accordance with the particular national regulations concerning water pollution.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

If relevant apply technical measures to comply with the occupational exposure limits. This can be by a good general extraction and-if practically feasible, be achieved by local exhaust ventilation.

- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

Numerical data - if specified - are taken from the valid national lists.

- · 8.2 Exposure controls
- Personal protective equipment
- · Breathing equipment: With good ventilation is not required.
- Protection of hands:

For prolonged or repeated contact use gloves.

Barrier creams may help to protect exposed skin, they should however not be applied once have come into contact with the product.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Applicable for example are gloves of KCL GmbH, D 36124 Eichenzell, e-mail: vertrieb@kcl.de with following specification (Laboratory test according EN 374)

Recommende protective glove:

Article / Name /Material / Thickness Material / Breakthrough Time Remarks Nr.

730/ Camatril Velours / Nitril / 0,4 mm Level 6 > 480 min. by full contact Nr.

743/ Dermatril / Nitril / 0,2 mm Level 2 > 30 min. by splash contact

This recommendation is only for the product delivered by us and its intended purpose.

Applicable for example are gloves of KCL GmbH, D 36124 Eichenzell, e-mail: vertrieb@kcl.de with following specification (Laboratory test according EN 374)

Recommende protective glove:

(Contd. on page 4)





Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

(Contd. of page 3)

Article / Name /Material / Thickness Material / Breakthrough Time Remarks Nr. 730/ Camatril Velours / Nitril / 0,4 mm Level 6 > 480 min. by full contact Nr. 743/ Dermatril / Nitril / 0.2 mm Level 2 > 30 min. by splash contact

This recommendation is only for the product delivered by us and its intended purpose.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Use safety eyewear designed to protect against splash of liquids.

· Body protection:

Working clothes must not consist of textiles which show a dangerous melting behaviour in case of fire. All parts of the skin should be washed after contact.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

pasty according to the tradename of the product characteristic Colour:

· Smell:

Odour threshold: Not determined.

Not determined. · pH-value:

· Change in condition

Melting point/Melting range: Boiling not determined point/Boiling range: > 200 °C · Flash point: >100 °C

· Inflammability (solid, gaseous)

· Ignition temperature (Main Solevnt): Not applicable.

· Decomposition temperature: 200 °C

· Self-inflammability: Not determined. · Danger of explosion: Not determined.

· Critical values for explosion: Not determined. · Lower: approx. 0.6 Vol % · Upper: approx. 7.0 Vol %

· Vapour pressure at 20 °C: 0 hPa at 20 °C < 0,1 hPa Density at 20 °C · Relative density 0.91 g/cm³ · Vapour density determined. Not **Evaporation rate**

Not determined. Solubility in / Miscibility with Not determined. partly or not miscible · Partition coefficient (n- octanol/water): Not determined

· Viscosity: Not determined. dynamic:

Not determined

kinematic: < 0.06 % Organic solvents:

< 0.06 % Water:

(Contd. on page 5)





Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability No further relevant information available.
- 10.3 Thermal decomposition / conditions to be avoided:

Stable under recommended storage and handling conditions (see section 7).

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Keep well away from oxidising agents and strongly alkaline or strongly acid materials in order to avoid exothermic reactions.

· 10.6 Hazardous decomposition products:

Exposition to high temperatures may produce hazardous decomposition poducts such as: carbon dioxide, carbon monoxide and smoke.

SECTION 11: Toxicological information

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in skin dryness. The product may be absorbed through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.

- · 11.1 Information on toxicological effects
- · Acute toxicity No data available
- · LD/LC50 values that are relevant for classification:

64741-91-9 Distillates (petroleum), solvent-refined middle;

Oral LD50 >5000 mg/kg (rat)
Dermal LD50 >5000 mg/kg (rabbit)
Inhalative LC50 >20000 mg/m3 (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

The Product should not be allowed to enter drains of water courses or soil.

- · 12.1 Toxicity
- · Aquatic toxicity:

64741-91-9 Distillates (petroleum), solvent-refined middle;

Fish toxicity >10000 mg/l (fish) (LC50: 96 h)

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 6)





Page 6/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

(Contd. of page 5)

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Do not allow to enter drains.
- · Uncleaned packagings: Waste
- · Recommendation:

Emptied containers should be disposed off into scrap recycling or reconditioning respectively. Not orderly emptied cans and ink remnants are special waste.

SECTION 14: Transport information

Not classified according to transport regulations for dangerous goods (like ADR/RID, IMDG and ICAO/IATA).

No

- · 14.1 UN-Number
- · ADG, ADN, IMDG, IATA
- 14.2 UN proper shipping name
- · ADG, ADN, IMDG, IATA
- · 14.3 Transport hazard class(es)
- · ADG, ADN, IMDG, IATA
- · Class
- · 14.4 Packing group
- · ADG, IMDG, IATA
- · 14.5 Environmental hazards:
- · Marine pollutant:
- · 14.6 Special precautions for user Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol
- and the IBC Code Not applicable.
- · UN "Model Regulation":

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Standard for the Uniform Scheduling of Medicines and Poisons

149-57-5 2- Ethylhexanoic Acid: S6

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)





Page 7/7

(Contd. of page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.10.2016 Version number 1 Revision: 29.10.2016

Trade name: 10 L 9560 PRINTLAC HIGH GLOSS

· National regulations

- · VOC-Content (EU): not specified · Swiss VOC-Regulation 0.04 %
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Contact Point:

Company Contact - Product Technical Manager Business Hours - +61 (03) 9549 9300 After Hours - 0488 020 164

Australian Poisons Information Centre 24 hour service 13 11 26

POLICE, FIRE BRIGADE, AMBULANCE 000

The information on this Safety Data Sheet is based on the present state of our knowledge and on current national laws. The user's working conditions are beyond our knowledge and control. It is always the responsibility of the user to take all necessary steps in order to fulfil the demands laid down in the local rules and legislation. The information in this Safety Data Sheet is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the product's properties.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous
Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp.

Tox. 1: Aspiration hazard - Category 1